

依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 1 of 14

MSDS

According to ISO 11014-2009

申 请 商 东莞市无敌实业有限公司

Applicant: Dongguan Wudi Industrial Co., Ltd.

地 址 中国广东省东莞市高埗镇下江城廉商高成科技园A栋一楼

Address: 1st Floor, Building A, Lianshang Gaocheng Technology

Park, XiaJiangcheng, GaoBu Town, Dongguan City,

Guangdong Province, China

产品名称 易抹不锈钢保养清洁剂

Product Name: DE-MARK Stainless Steel Cleaner

日期 2024-04-10 Apr. 10th, 2023

委托公司 东莞市杰赢检测咨询有限公司

Edited By: Dongguan JTT Testing Technology Co., Ltd

签 发:

Approved by:





This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 2 of 14

第一项:物质/混合物和企业信息

Section 1 - Identification of the substance/mixture and of the company/undertaking

1.1 产品信息 Product identifier

产品名称Product name: 易抹不锈钢保养清洁剂 DE-MARK Stainless Steel Cleaner

产品型号Model No.: 1016

品牌名称Brand name: 邓氏化工 TANG'S CORPORATION CLEAING CHEMICAL SPECIALTY

1.2 物质或混合物的用途及告诫用途

Relevant identified uses of the substance or mixture and uses advised against

用途Identified uses: 无信息。No information available.

告诫用途Uses advised against: 无信息。No information available.

1.3 供货商信息 Details of the supplier of the material safety data sheet

制造商/供应商: 东莞市无敌实业有限公司

Manufacturer/Supplier: Dongguan Wudi Industrial Co., Ltd.

址: 中国广东省东莞市高埗镇下江城廉商高成科技园A栋一楼

Address: 1st Floor, Building A, Lianshang Gaocheng Technology Park, XiaJiangcheng, Gaobu Town,

Dongguan City, Guangdong Province, China

电话Tel: 13811006163 / 0769-22992538

邮箱E-mail: sales@suihing.com.cn

传真Fax: 0769-22418143

1.4 紧急联系电话 Emergency telephone number: 0769-87331081

第二项:危害信息

Section 2 - Hazards identification

2.1 物质或混合物分类 Classification of the substance or mixture:

根据GHS法规分类 Classification according to Regulation GHS

根据GHS法规,该产品被分类。

This product is classified according to the GHS regulation.

H226 易燃液体 类别 3 / Flam. Liq. 3:

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 **Page 3 of 14**

2.2 标签要素 Label elements

根据GHS法规进行标识 Labeling according to Regulation GHS

根据GHS法规,该产品被分类及标识。

This product is classified and labeled according to the GHS regulation.

危害象形图 Hazard pictograms:



警示语 Signal word: 警告 Warning

危害说明 Hazard statements:

H226 易燃液体和蒸气 Flammable liquid and vapor

防范说明 Precautionary statement:

P210 远离热源/火花/明火/热表面。禁止吸烟。

Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 保持容器密闭。

Keep container tightly closed.

P240 容器和接收设备接地/等势联接。

Ground/bond container and receiving equipment.

P241 使用防爆的电气/通风/照明等设备。

Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 只能使用不产生火花的工具。

Use only non-sparking tools.

P243 采取防止静电放电的措施。

Take precautionary measures against static discharge.

P280 戴防护手套/穿防护服/戴防护眼罩/戴防护面具。

Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 如皮肤(或头发)沾染:立即去除/脱掉所有沾染的衣服。用水清洗皮肤/淋浴。

IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse

SKIN with water [or shower].

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 4 of 14

P370+P378 火灾时:使用MSDS第五部分提及的合适的灭火介质灭火。

In case of fire: Use appropriate extinguishing media as mentioned in Part 5 of

MSDS to extinguish.

P403+P235 存放在通风良好的地方。保持低温。

Store in a well-ventilated place. Keep cool.

P501 按照地方/区域/国家/国际规章处置内装物/容器。

Dispose of contents/containers in accordance with local / regional / national /

international regulations

2.3 其他危害信息 Other hazards: 无信息。No information available.

第三项:成分/组成信息

Section 3 - Composition/Information on Ingredient

3.1 化学物类型Chemical characterization: 混合物 Mixture

描述Description: /

产品Product:由以下组分合成 Consisting of the following components.

化学名称 Chemical Name	CAS No.	EC No.	浓度 Concentration
Mineral oil 矿物油	8042-47-5	232-455-8	60%

第四项: 急救措施

Section 4 - First Aid Measures

4.1 急救措施描述 Description of first aid measures

一般信息 General description:

如有疑问,请寻求医疗帮助。In case of doubt, seek medical help.

吸入 After inhalation:

一般无害。若有不适,迅速转移至空气新鲜处。保持呼吸舒适的休息姿势。如果症状持续,请就医。

In general, no harm. If feel unwell, move to fresh air immediately. Keep comfortable for breathing. If symptom persists, get medical aid.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 **Page** 5 of 14

皮肤接触 After skin contact:

用肥皂和大量清水清洗皮肤。如果发生皮肤刺激、寻求医疗帮助。

Rinse skin with soap and plenty of water. If skin irritation occurs, consult a doctor.

眼睛接触 After eye contact:

用水小心冲洗眼睛几分钟,偶尔抬起上下眼皮。如仍觉眼刺激,就医。

Rinse cautiously with water for several minutes, occasionally lifting the upper and lower eyelids. If eye irritation persists, get medical aid.

摄入 After Ingestion:

用水漱口,就医。除非在医护人员的指引下,否则不可催吐。

Rinse mouth with water. Get medical aid. Do not induce vomiting unless directed by a medical professional.

4.2 主要的临床表现,包括急性和慢性

Most important symptoms and effects, both acute and delayed:

无信息。No information available.

4.3 及时的医疗护理和特殊的治疗信息

Indication of any immediate medical attention and special treatment needed:

无信息。No information available.

第五项:消防措施

Section 5 - Firefighting measures

5.1 灭火剂 Extinguishing media

可用的灭火剂 Suitable extinguishing agents:

使用化学干粉,二氧化碳,抗溶性泡沫或是砂土。

Use dry chemical, carbon dioxide, alcohol resistant foam or sand.

5.2 物质或混合物特别危险特性 Special hazards arising from the substance or mixture:

易燃液体。蒸汽与空气可形成爆炸性混合物。在明火或高温下会发生燃烧爆炸。

Flammable liquid. Vapors may form explosive mixture with air, which can cause combustion and explosion when exposed to open flames and high heat energy.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 **Page** 6 of 14

5.3 给消防员的建议 Advice for firefighters

消防人员须佩戴适当的呼吸器和防护装备,在上风向灭火。尽可能将容器从火场移至空旷处。喷水保持火 场容器冷却,直至灭火结束。

Firefighters must wear appropriate respirators and protective equipment to extinguish the fire upwind. Move containers to open space if possible. Spray water to keep the container cool until the fire is over.

第六项: 泄露应急处理

Section 6 - Accidental Release Measures

6.1 个体防护、防护设备和应急程序

Personal precautions, protective equipment and emergency procedures:

迅速将人们疏散到安全地带。泄漏区域应用安全带封闭,以控制非相关人员的进入。切断火源。建议应急 人员穿戴自给式正压呼吸器和防静电防护服。避免吸入蒸汽、气雾或气体。尽量切断泄漏源。防止进入下 水道、泄洪沟和其他受限制的空间。

Quickly evacuate people to a safety zone. The leak area should be sealed off with safety belts to control the entry of non-relevant personnel. Cut off the fire. It is recommended that emergency personnel wear self-contained positive pressure breathing apparatus and anti-static protective clothing. Avoid inhaling vapors, aerosols or gases. Cut off the source of leakage as much as possible. Prevent entry into the sewer, flood drainage ditches and other restricted spaces.

6.2 环境保护措施 Environmental precautions:

在确保安全的同时、采取措施防止进一步泄漏或溢出。不要让产品进入下水道。避免排放到周围环境中。

Take measures to prevent further leaks or spills while ensuring safety. Do not allow product to enter sewer or waterways. Prevent discharge into the surrounding environment.

6.3 收容与清理的方法和材料 Methods and material for containment and cleaning up:

用惰性吸收剂(干沙和泥土)吸收溢出的物质。将受污染的吸附剂扫入合适的容器中进行妥善处理。用洗水 擦洗污染区域。收集所有受污染的水作适当处理。

Absorb spilled material with an inert absorbent(dry sand and earth). Sweep and shovel contaminated absorbent into a suitable container for proper disposal. Scrub the area with water. Collect all contaminated water for proper disposal.

6.4 参考其他部分 Reference to other sections

参考第7部分的安全操作信息 See Section 7 for information on safe handling.

参考第8部分的个人设备防护信息 See Section 8 for information on personal protection equipment.

参考第13部分的废弃处置信息 See Section 13 for disposal information.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 7 of 14

第七项:操作和储存

Section 7 - Handling and Storage

7.1 安全操作注意事项 Precautions for safe handling:

密闭操作,充分通风。操作人员必须经过专门培训,严格遵守操作规程。操作人员应佩戴过滤式防毒面具 (半面罩)、防静电工作服。避免吸入蒸汽、气雾或气体。远离火源和热源。工作场所禁止吸烟。使用防爆通 风系统和设备。防止蒸汽泄漏到工作场所的空气中。避免与氧化剂接触。灌装时应控制流量,并应有接地 装置,防止静电积聚。小心搬运,以免损坏包装和容器。配备相应品种和数量的消防器材和泄漏应急处理 设备。

Closed operation, full ventilation. Operators must be specially trained and strictly follow the operating procedures. Operators should wear a filter gas mask (half mask), antistatic working clothes. Avoid inhaling vapors, aerosols or gases. Keep away from fire and heat source. No smoking in the workplace. Use explosion-proof ventilation systems and equipment. Prevent steam from escaping into the workplace air. Avoid contact with oxidants. The flow rate should be controlled during filling and there should be a grounding device to prevent electrostatic accumulation. Handle with care to avoid damaging packages and containers. Equipped with corresponding varieties and quantities of fire equipment and leakage emergency treatment equipment.

7.2 安全储存条件,包括不相容性

Conditions for safe storage, including any incompatibilities

储存于阴凉、通风的库房。远离火种、热源。库温不宜超过40℃。保持容器密封。远离不相容材料。采用 防爆型照明、通风设施。禁止使用易产生火花的机械设备和工具。储区应备有泄漏应急处理设备和合适的 收容材料。

Store in a cool, ventilated warehouse. Keep away from fire and heat. The temperature of the warehouse should not exceed 40°C. Keep the container sealed. Store apart from incompatible materials. Explosionproof lighting and ventilation facilities are adopted. Do not use mechanical equipment and tools that are prone to spark. The storage area should be equipped with leak emergency treatment equipment and suitable holding materials.

7.3 特定用途 Specific end use(s):

无信息。No information available.

第八项:接触控制和个人防护措施

Section 8 - Exposure controls/personal protection

适当的工程控制 Appropriate engineering controls:

生产过程密闭、全面通风。提供安全淋浴和洗眼设备。

The production process is closed and fully ventilated. Provide safe shower and eye wash facilities.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 8 of 14

呼吸系统防护 Respiratory Protection:

一般不需要特殊防护, 高浓度接触时可佩戴过滤式防毒面具(半面罩)。

Generally no special protection is required. Wear self-priming filter type gas mask (half mask) when high concentration contact.

手防护 Hand Protection:

佩戴一般作业防护手套。

Wear protective work gloves.

眼睛防护 Eye protection:

一般不需要特殊防护。

Generally no special protection is required.

身体防护 Body protection:

穿着防静电工作服。

Wear anti-static work clothing.

环境暴露控制 Environmental exposure controls:

控制措施必须符合共同体环境保护法规。

Control measures must comply with Community environmental protection legislation.

其他防护 Other protection:

注意个人卫生。工作现场严禁吸烟。

Attention to personal hygiene. Smoking is strictly prohibited at the work site.

第九项: 理化特性

Section 9 - Physical and Chemical Properties

9.1 基本理化性质 Information on basic physical and chemical properties

外观 Appearance: 液体 Liquid

颜色Colour: 透明 Transparent

气味Odour:

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室

Address: Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province.

电话Tel: 0769 - 3353 5586 邮箱Email: service@jttlab.com https://www.jttlab.com



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 **Page** 9 of 14

PH值PH-value: 未确定 Not determined

熔点/熔点范围Melting point/Melting range(°C): 不适用 Not applicable

沸点/沸点范围Boiling point/Boiling range(°C): 未确定 Not determined

闪点Flash point(°C): 41°C(闭杯 Closed cup)

蒸气压Vapour pressure(MPa): 未确定 Not determined

密度Density(g/cm³): 未确定 Not determined

水溶性Solubility in water (g/l): 溶于水 Soluble in water.

其他信息 Other information:

9.2 附加信息 Additional information: 无资料。No data available.

第十项:稳定性和反应活性

Section 10 - Stability and Reactivity

10.1 反应性 Reactivity

一般的储存和处理条件下稳定。Stable under recommended storage and handling conditions.

10.2 化学稳定性 Chemical stability

正常的使用,储存和运输条件下稳定。Stable under normal conditions of use, storage and transport.

10.3 可能的危险反应 Possibility of hazardous reactions

无信息。No data available.

10.4 应避免的条件 Conditions to avoid

远离热源、热表面、火花、明火和其他火源。避免长时间阳光直射。

Keep away from heat, hot surface, sparks, open flames and other ignition sources. Avoid exposure to direct sunlight over prolonged periods.

10.5 不相容材料 Incompatible materials

强氧化剂。Strong oxidants.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 10 of 14

10.6 危险分解产品 Hazardous decomposition products

无信息。No data available.

第十一项: 毒理学信息

Section 11 - Toxicological Information

急性毒性 Acute toxicity:

无信息。No data available.

皮肤腐蚀/刺激性 Skin corrosion/irritation:

无信息。No data available.

眼部危害/刺激性 Serious eye damage/irritation:

无信息。No data available.

呼吸或皮肤过敏 Respiratory or skin sensitization:

无已知的致敏反应。 No sensitizing effects known.

毒物动力学,新陈代谢和分布 Toxicokinetics, metabolism and distribution:

无信息。No data available.

CMR影响(致癌, 致基因突变, 生殖毒性)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

无信息。No data available.

第十二项: 生态学信息

Section 12 - Ecological Information

12.1 毒性 Toxicity

水生毒性 Aquatic toxicity: 无相关信息。No further relevant information available.

12.2 持久性和生物降解性 Persistence and degradability

无相关信息。No further relevant information available.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 11 of 14

12.3 生物积累性 Bioaccumulative potential

无相关信息。No further relevant information available.

12.4 土壤迁移性 Mobility in soil

无相关信息。No further relevant information available.

12.5 PBT 和 vPvB 评估结果 Results of PBT and vPvB assessment

PBT: 不适用 Not applicable. vPvB: 不适用 Not applicable.

12.6 其它不良影响Other adverse effects

无相关信息。No further relevant information available.

第十三项:废弃处置

Section 13 - Disposal Considerations

13.1 废物处理方法 Waste treatment methods

按照适用的区域和当地法律法规进行处置。

Dispose of in accordance with applicable regional and local laws and regulations.

第十四项:运输信息

Section 14 - Transport Information

14.1 UN-编号 UN-Number

ADR, RID, ADN, IMDG, IATA

UN1993

14.2 UN运输名称 UN proper shipping name

ADR, RID, ADN, IMDG, IATA

易燃液体,未另列明的(矿物油)

FLAMMABLE LIQUID, N.O.S.(Mineral oil)

14.3 运输危险性分类 Transport hazard class (es)

ADR, RID, ADN, IMDG, IATA

分类 Class

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 12 of 14

标识 Label



14.4 包装类别 Packing group

ADR, RID, ADN, IMDG, IATA

 \prod

14.5 环境危害 Environmental hazards

No

14.6 用户特别注意事项 Special precautions for user

Warning: Flammable Liquid!

14.7 批量运输依据MARPOL附录II和IBC号

Transport in bulk according to Annex II of MARPOL and the IBC Code

UN1993, 易燃液体, 未另列明的(矿物油) UN"示范条例" UN "Model Regulation":

FLAMMABLE LIQUID, N.O.S.(Mineral oil),

N/A

第十五项: 法规信息

Section 15 - Regulatory Information

- 《危险品规则》
- «Dangerous Goods Regulations»
- 《对危险货物运输的有关规定的建议》
- «Recommendations on the Transport of Dangerous Goods-Model Regulations »
- 《国际海运危险货物规则》
- «International Maritime Dangerous Goods»
- 《危险货物道路运输规则》
- «Regulations concerning road transportation of dangerous goods»
- 《道路危险货物国际运输协议》
- «Agreement concerning the International Carriage of dangerous Goods By Road»

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

东莞市杰赢检测咨询有限公司 Dongguan JTT Testing Technology Co., Ltd

地址: 广东省东莞室南城街道清华路1号美商综合楼317室



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 13 of 14

- 《危险品安全运输技术指令》
- «Technical Instructions for the Safe Transport of Dangerous Goods»
- 《危险货物分类和品名编号》
- «Classification and code of dangerous goods»
- 《职业安全卫生法》
- «Occupational safety and Health Act» (OSHA)
- 《有毒物质控制法》
- «Toxic Substance Control Act » (TSCA)
- 《消费产品安全法》
- «Consumer Product Safety Act» (CPSA)
- 《联邦环境污染控制法》
- «Federal Environment Pollution Control Act» (FEPCA)
- 《石油污染法案》
- «The Oil Pollution Act» (OPA)
- 《超级基金修正案和再授权法Ⅲ(302/311/312/313)》
- «Superfund Amendments and Reauthorization Act Title III (302/311/312/313)» (SARA)
- 《资源保护及恢复法案》
- «Resource Conservation and Recovery Act» (RCRA)
- 《安全饮用水法》
- «Safety Drinking Water Act» (CWA)
- 《加州65提案》
- «California Proposition 65»
- 《美国联邦法规》
- «Code of Federal Regulations» (CFR)

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



依据(According to) ISO 11014-2009

编号Report No.: JTT240408082JD 日期Date: 2024-04-10 Page 14 of 14

第十六项: 其他信息

Section 16 - Additional Information

参考文献Reference: N/A

免责声明 DISCLAIMER OF LIABILITY

这份MSDS的相关信息来源于我们认为可靠的资料。然而,所提供的资料并无任何明示或暗示的来保证其 正确性。产品的处理、储存、使用或处置条件或方法有可能超出我们的可控范围,同时也有可能超出我们的认知 范围。基于上述及其他原因,我们不承担相关责任,并明确不承担因处理、储存、使用或处置本产品而产生的或 以任何方式与本产品有关的任何损失、损坏或费用。该材料安全说明资料仅针对本产品。如果本产品作为其他 产品的组分时,此份MSDS信息可能不适用。

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

文件完 End of document

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.